09/513,912 EAST
Dur 2/24/04

L Number	Hits	Search Text	DB	Time stamp
3	✔ 6	(RSVP OR RESV) SAME (load$1balanc$3 OR (load$1 NEAR2 balanc$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:43
5	✓374	(RSVP OR RESV) AND (MPLS OR LSP OR (label$1 ADJ1 switch$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:43
6	2222	((hand$1over$1 OR (hand$3 ADJ1 over$1) OR (hand$3 ADJ1 off$1) OR hand$1off$1)) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:45
7	1375	((hand$1over$1 OR (hand$3 ADJ1 over$1) OR (hand$3 ADJ1 off$1) OR hand$1off$1)) SAME (IP$2 OR Internet$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:45
8	╱ 292	((hand$1over$1 OR (hand$3 ADJ1 over$1) OR (hand$3 ADJ1 off$1) OR hand$1off$1)) SAME (IP$2 OR Internet$1 OR packet$1) SAME power$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 13:05
9	╱ 10	("5995539" | "6131012" | "6144645" | "6154776" | "6160804" | "6262982" | "6295285" | "6377573" | "6385195" | "6404738").PN.	USPAT	2004/02/24 12:57
10	╱ 103	((hand$1over$1 OR (hand$3 ADJ1 over$1) OR (hand$3 ADJ1 off$1) OR hand$1off$1)) SAME (MPLS OR LSP OR ((label$1 OR flow$1 OR tag$3) NEAR2 (switch$3 OR rout$3 OR forward$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 13:08
11	╱ 51	(US-6324185-$ or US-6327254-$ or US-6347224-$ or US-6151309-$ or US-5923650-$ or US-5987326-$ or US-6289005-$ or US-6304562-$ or US-6157668-$ or US-6070084-$ or US-5995805-$ or US-6021309-$ or US-6181738-$ or US-6226283-$ or US-5862485-$ or US-5257283-$ or US-5293640-$ or US-5805585-$ or US-5301359-$ or US-5734967-$ or US-5561839-$ or US-5603085-$ or US-5666356-$ or US-5745480-$ or US-5768260-$ or US-5926458-$).did. or (US-6522628-$ or US-6567416-$ or US-6452915-$ or US-6160793-$ or US-6046980-$ or US-6501741-$ or US-6374112-$ or US-6636502-$ or US-6587457-$ or US-6408001-$ or US-6611532-$ or US-6690679-$ or US-6654363-$ or US-6647005-$ or US-6356759-$ or US-6697361-$ or US-5991300-$ or US-6631122-$ or US-6160804-$ or US-5305308-$).did. or (US-20020110119-$ or US-20030039237-$ or US-20020032800-$).did. or (WO-9948310-$ or WO-9905828-$).did.	USPAT; US-PGPUB; EPO	2004/02/24 13:10
-	25	(("5301359") or ("6151309") or ("6324185") or ("6347224") or ("5666356") or ("6289005") or ("6304562") or ("6327254") or ("5987326") or ("6021309") or ("5257283") or ("5293640") or ("5561839") or ("5603085") or ("5734967") or ("5745480") or ("5768260") or ("5805585") or ("5862485") or ("5923650") or ("5995805") or ("6070084") or ("6157668") or ("6181738") or ("6226283")).PN.	USPAT	2003/06/24 11:15

Search History   2/24/04 2:52:49 PM   Page 1
C:\APPS\east\workspaces\09-513-912.wsp

–	142	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS) AND (virtual ADJ2 group$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:51
–	50687	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS) AND ((flow$1 OR label$1 OR tag$1) SAME (queu$3 OR buffer$3 OR stor$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:02
–	23230	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS) AND ((flow$1 OR label$1 OR tag$1) WITH (queu$3 OR buffer$3 OR stor$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:16
–	859	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS) AND (((flow$1 OR label$1 OR tag$1) WITH (queu$3 OR buffer$3 OR stor$3)) SAME packet$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:18
–	270	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS) AND (((flow$1 OR label$1 OR tag$1) WITH (queu$3 OR buffer$3 OR stor$3)) SAME packet$1) AND ((flow$1 OR label$1 OR tag$1) SAME (location$1 OR sector$1 OR latitude OR longitude))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:02
–	75	("4742512" | "4907224" | "5282222" | "5420851" | "5493569" | "5497504" | "5499243" | "5515363" | "5581544" | "5602836" | "5613198" | "5648969" | "5717689" | "5724513" | "5729542" | "5732077" | "5742847" | "5752193" | "5757708" | "5787077" | "5787080" | "5793416" | "5828677" | "5831971" | "5838670" | "5841777" | "5864540" | "5907822" | "5930472" | "5936949" | "5956330" | "5970059" | "5970062" | "5974028" | "5974085" | "6002935" | "6005868" | "6016311" | "6021158" | "6031832" | "6031845" | "6038230" | "6038452" | "6041051" | "6046980" | "6052594" | "6058114" | "6064649" | "6075787" | "6075792" | "6081536" | "6084867" | "6091959" | "6092113" | "6097722" | "6097733" | "6104721" | "6111863" | "6115357" | "6115370" | "6115390" | "6151300" | "6151628" | "6154643" | "6160793" | "6163532" | "6195565" | "6208620" | "6215769" | "6219713" | "6363209" | "6272333" | "6304564" | "6320846" | "6330451").PN.	USPAT	2003/06/23 13:39
–	1116	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS) AND ((flow$1 OR label$1 OR tag$1) WITH (queu$3 OR buffer$3 OR stor$3)) AND ((flow$1 OR label$1 OR tag$1) WITH packet$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:08
–	8	("5726764" | "5729536" | "5793744" | "6052385" | "6081534" | "6181686" | "6201976" | "6351470").PN.	USPAT	2003/06/23 14:25
–	0	6515972.URPN.	USPAT	2003/06/23 14:26
–	301	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((flow$1 OR label$1 OR tag$1) WITH (queu$3 OR buffer$3 OR stor$3)) AND ((flow$1 OR label$1 OR tag$1) WITH packet$1) AND polic$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:49

-	529	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((flow$1 OR label$1 OR tag$1) WITH (queu$3 OR buffer$3 OR stor$3)) AND ((flow$1 OR label$1 OR tag$1) WITH packet$1) AND ((service or CoS OR QoS) SAME (flow$1 OR label$1 OR tag$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:49
-	12	("5175758" | "5752193" | "5787341" | "5797102" | "5799255" | "6031832" | "6052594" | "6104929" | "6134230" | "6215776" | "6216006" | "6356553").PN.	USPAT	2003/06/23 15:05
-	0	6501741.URPN.	USPAT	2003/06/23 15:07
-	28	xiaobao.in. AND QoS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:45
-	6	Wo-9853576-$.did. OR WO-9948310-$.did. OR WO-9736405-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:46
-	691	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((flow$1 OR label$1 OR tag$1) WITH packet$1) AND ((group$3 OR bundl$3 OR aggregat$3 OR collect$3 OR collect$3 OR together) WITH (service OR QoS OR coS OR class$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:13
-	1533	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((service OR QoS OR coS OR class$2) SAME (power ADJ1 level$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:13
-	92	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((QoS OR coS) SAME (power ADJ1 level$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:55
-	16	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((QoS OR coS) SAME (sector$3 OR beam OR latitude OR longitude) SAME (packet$1 OR header$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 11:25
-	19	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND (QoS OR coS) AND ((latitude OR longitude) SAME (packet$1 OR header$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 11:44
-	30	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((QoS OR coS) SAME (latitude OR longitude)) AND (packet$1 OR header$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 12:21
-	257	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND (beam SAME sector$1) AND geograph$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 12:23
-	2	6515972.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:11
-	328	(wireless OR cellular OR radio OR CDMA OR IDEN OR GSM OR LMDS OR GPRS OR UMTS OR WLAN) AND ((service OR QoS OR coS OR class$2) SAME (buffer$3 OR queu$3) SAME (FIFO OR (first ADJ1 in ADJ1 first ADJ1 out)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:48

-	187681	((label$1 OR flow$1) WITH (switch$3 OR rout$3)) OR MPLS$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:35
-	21073	(((label$1 OR flow$1) WITH (switch$3 OR rout$3)) OR MPLS$2) AND (wireless OR radio$1 OR RF$1 OR GSM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:37
-	5349	(((label$1 OR flow$1) WITH (switch$3 OR rout$3)) OR MPLS$2) AND (wireless OR radio$1 OR RF$1 OR GSM) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:37
-	2838	(((label$1 OR flow$1) WITH (switch$3 OR rout$3)) OR MPLS$2) SAME (wireless OR radio$1 OR RF$1 OR GSM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:40
-	1034	((((label$1 OR flow$1) WITH (switch$3 OR rout$3)) OR MPLS$2) SAME (wireless OR radio$1 OR RF$1 OR GSM)) AND (wireless OR radio$1 OR RF$1 OR GSM) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:37
-	6023	(((rout$3 NOT routine) OR switch$3) WITH packet$1) SAME (MPLS OR label$1 OR flow$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:42
-	1894	((((rout$3 NOT routine) OR switch$3) WITH packet$1) SAME (MPLS OR label$1 OR flow$1)) AND (wireless OR radio$1 OR RF$1 OR GSM OR mobile$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:42
-	✓ 536	((((rout$3 NOT routine) OR switch$3) WITH packet$1) SAME (MPLS OR label$1 OR flow$1) SAME (wireless OR radio$1 OR RF$1 OR GSM OR mobile$1)) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:11
-	✓ 18	("5175758" | "5442633" | "5787341" | "5797102" | "5799255" | "5880829" | "5887254" | "5903559" | "5996021" | "6021263" | "6084855" | "6128298" | "6131117" | "6205149" | "6226523" | "6246670" | "6330239" | "6385195").PN.	USPAT	2004/02/23 09:05
-	0	6587457.URPN.	USPAT	2004/02/23 09:06
-	13017	((flow$1 OR label$1) NEAR2 (ID or identif$3)) OR MPLS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:13
-	✓ 649	(((flow$1 OR label$1) NEAR2 (ID or identif$3)) OR MPLS) SAME (wireless OR radio$1 OR RF$1 OR GSM OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:24
-	1180	(((flow$1 OR label$1) NEAR2 (ID or identif$3 OR tag)) OR MPLS) SAME (location$1 OR geographic$5 OR latitude$1 OR longitude$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:43
-	✓ 87	(((flow$1 OR label$1) NEAR2 (ID or identif$3 OR tag)) OR MPLS) SAME (location$1 OR geographic$5 OR latitude$1 OR longitude$1) SAME (wireless OR radio$1 OR RF$1 OR GSM OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:43
-	✓ 434	(((flow$1 OR label$1) NEAR2 (ID or identif$3 OR tag)) OR MPLS) SAME (location$1 OR geographic$5 OR latitude$1 OR longitude$1) AND (wireless OR radio$1 OR RF$1 OR GSM OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:31

–	119	(((flow$1 OR label$1) NEAR2 (ID or identif$3)) OR MPLS OR (tag ADJ1 switch$3)) SAME (location$1 OR geographic$5 OR latitude$1 OR longitude$1) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:50
–	170	(((flow$1 OR label$1) NEAR2 (ID or identif$3 OR switch$3 OR rout$3)) OR MPLS OR (tag ADJ1 switch$3)) SAME (location$1 OR geographic$5 OR latitude$1 OR longitude$1) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:02
–	16222	(location$1 OR geographic$5 OR latitude$1 OR longitude$1) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:03
–	2647	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:44
–	1623	(((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME packet$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:04
–	1275	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) WITH (packet$1 OR header$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:26
–	582	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) WITH (packet$1 OR header$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:07
–	738	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME ((quality ADJ2 servic$3) OR QoS OR CoS OR (class ADJ1 servic$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:27
–	77	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME ((quality ADJ2 servic$3) OR QoS OR CoS OR (class ADJ1 servic$3)) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:32
–	382	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME ((quality ADJ2 servic$3) OR QoS OR CoS OR (class ADJ1 servic$3)) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:43
–	35	((physical$3 NEAR2 locat$4) OR geographic$5 OR latitude$1 OR longitude$1) SAME ((quality NEAR2 servic$3) OR QoS OR CoS OR (class NEAR2 servic$3)) same (queu$3 OR buffer$3 OR memor$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:01
–	21	chuah.in. AND ((GSM OR UMTS OR GPRS OR RAN) SAME (QoS OR flow$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:10
–	9	("5455825" | "5471467" | "5732080" | "5748633" | "5790545" | "5809027" | "5991300" | "6009097" | "6201789").PN.	USPAT	2004/02/23 11:06
–	8	6408001.URPN.	USPAT	2004/02/23 11:07
–	828	((packet ADJ1 data ADJ1 protocol$1) OR PDP) SAME (QoS OR (quality NEAR2 servic$3) OR flow$1 OR label$1 OR MPLS$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:12

-	339	((packet ADJ1 data ADJ1 protocol$1) OR PDP) SAME (QoS OR (quality NEAR2 servic$3) OR flow$1 OR label$1 OR MPLS$1) AND (UMTS OR GPRS OR GSM OR RAN OR radio OR wireless OR RF OR 3g)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:10
-	9	("5357507" | "5453981" | "5724355" | "5903832" | "6038609" | "6088734" | "6151324" | "6363058" | "6477670").PN.	USPAT	2004/02/23 11:28
-	0	6690679.URPN.	USPAT	2004/02/23 11:29
-	60615	(aggregat$5 OR group$3) WITH (flow$1 OR label$1 OR tag$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:39
-	472	(aggregat$5 OR group$3) WITH (flow$1 OR label$1 OR tag$1) SAME (QoS OR (quality NEAR2 service$1) OR CoS OR (class NEAR2 service$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:57
-	2	6643258.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:19
-	2	WO-9905828-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 19:49
-	2	WO-9939480-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:22
-	2	WO-9853576-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:23
-	815	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME (QoS OR (quality NEAR2 servic$3) OR CoS OR (class NEAR2 servic$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:40
-	471	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1) SAME (QoS OR (quality NEAR2 servic$3) OR CoS OR (class NEAR2 servic$3)) AND (UMTS OR GPRS OR GSM OR RAN OR radio OR wireless OR RF OR 3g)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:46
-	3142	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1 OR coordinate$1) SAME (QoS OR (quality NEAR2 servic$3) OR CoS OR (class NEAR2 servic$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:42
-	1127	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1 OR coordinate$1) SAME (QoS OR (quality NEAR2 servic$3) OR CoS OR (class NEAR2 servic$3)) AND (UMTS OR GPRS OR GSM OR RAN OR radio OR wireless OR RF OR 3g)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 15:43
-	732	((physical NEAR2 location$1) OR geographic$5 OR latitude$1 OR longitude$1 OR coordinate$1 OR position$3) SAME (QoS OR (quality NEAR2 servic$3) OR CoS OR (class NEAR2 servic$3)) AND (UMTS OR GPRS OR GSM OR RAN OR radio OR wireless OR RF OR 3g) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:03

-	135	((packet ADJ1 data ADJ1 protocol$1) OR PDP) SAME power$3 AND (UMTS OR GPRS OR GSM OR RAN OR radio OR wireless OR RF OR 3g)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:14
-	65	(power$1 NEAR2 level$1) SAME (label$1 OR tag$1 OR flow$1) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:18
-	177	(power$1 WITH header$1) SAME packet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:29
-	117	(power$1 OR pwr) NEAR2 (field$1 OR IE OR (information ADJ1 element$1)) SAME (packet$1 OR header$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:31
-	105	((power$1 OR pwr) NEAR2 (field$1 OR IE OR (information ADJ1 element$1)) SAME (packet$1 OR header$1)) NOT ((power$1 WITH header$1) SAME packet$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 18:31
-	10	(wireless NEAR2 router$1) SAME (qos OR (quality NEAR2 service))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 09:23